

POLEA EAGLE "Y" YELLOW (ancho del dentado W=17mm., paso 8mm.)

REF.	Nº dientes	Fig.	S (mm)	R (mm)	U (mm)	H (mm)	W (mm)	Z (mm)	Y (mm)	d (mm)	Material
Y-18-MPB	18	1	44,47	45,84		39	17	10	27	12,7	Fundición
Y-20-MPB	20	1	49,56	50,93		41	17	12	29	12,7	
Y-22-MPB	22	1	54,65	56,02		46	17	12	29	12,7	
Y-24-MPB	24	1	59,75	61,12		51	17	16	33	12,7	
Y-25-MPB	25	1	62,29	63,66		54	17	16	33	12,7	
Y-26-MPB	26	1	64,84	66,21		58	17	16	33	12,7	
Y-28-MPB	28	1	69,93	71,3		62	17	16	33	12,7	
Y-30-MPB	30	1	75,03	76,39		67	17	16	33	12,7	
Y-32-MPB	32	1	80,12	81,49		72	17	16	33	12,7	
Y-34-MPB	34	1	85,21	86,58		77	17	16	33	12,7	
Y-36-MPB	36	1	90,30	91,68		82	17	16	33	12,7	
Y-38-MPB	38	1	95,40	96,77		87	17	16	33	12,7	
Y-40-MPB	40	1	100,49	101,86		92	17	16	33	12,7	
Y-45-MPB	45	1	113,22	114,59		105	17	16	33	12,7	
Y-48-MPB	48	1	120,86	122,23		113	17	16	33	12,7	
Y-50-MPB	50	1	125,96	127,33		118	17	16	33	12,7	
Y-56-MPB	56	1	141,24	142,61		133	17	16	33	12,7	
Y-60-MPB	60	1	151,42	152,79		143	17	16	33	12,7	
Y-63-MPB	63	2	159,06	160,43	135	110	17	16	33	12,7	
Y-75-MPB	75	2	189,62	190,99	166	110	17	16	33	12,7	
Y-80-MPB	80	2	202,35	203,72	178	110	17	16	33	12,7	
Y-90-MPB	90	2	227,82	229,19	204	110	17	16	33	25,4	
Y-112-MPB	112	2	283,84	285,21	260	110	17	16	33	25,4	
Y-140-MPB	140	2	355,15	356,52	331	110	17	16	33	25,4	
Y-180-MPB	180	3	457,01	458,38	433	150	17	16	33	25,4	
Y-224-MPB	224	3	569,06	570,43	545	150	17	16	33	25,4	

POLEA EAGLE "W" WHITE (ancho del dentado W=33mm., paso 8mm.)

REF.	Nº dientes	Fig.	S (mm)	R (mm)	U (mm)	H (mm)	W (mm)	Z (mm)	Y (mm)	d (mm)	Material
W-18-MPB	18	1	44,47	45,84		38,7	33	10	43	12,7	Fundición
W-20-MPB	20	1	49,56	50,93		40,7	33	12	45	12,7	
W-22-MPB	22	1	54,65	56,02		45,9	33	12	45	12,7	
W-24-MPB	24	1	59,75	61,12		51	33	16	49	12,7	
W-25-MPB	25	1	62,29	63,66		53,5	33	16	49	12,7	
W-26-MPB	26	1	64,84	66,21		57,8	33	16	49	12,7	
W-28-MPB	28	1	69,93	71,3		62	33	16	49	12,7	
W-30-MPB	30	1	75,03	76,39		67	33	16	49	12,7	
W-32-MPB	32	1	80,12	81,49		72	33	16	49	12,7	
W-34-MPB	34	1	85,21	86,58		77	33	16	49	12,7	
W-36-MPB	36	1	90,30	91,68		82	33	16	49	12,7	
W-38-MPB	38	1	95,40	96,77		87	33	16	49	12,7	
W-40-MPB	40	1	100,49	101,86		92	33	16	49	12,7	
W-45-MPB	45	1	113,22	114,59		105	33	16	49	12,7	
W-48-MPB	48	1	120,86	122,23		113	33	16	49	12,7	
W-50-MPB	50	1	125,96	127,33		118	33	16	49	12,7	
W-56-MPB	56	1	141,24	142,61		133	33	16	49	12,7	
W-60-MPB	60	1	151,42	152,79		143	33	16	49	12,7	
W-63-MPB	63	1	159,06	160,43		151	33	16	49	12,7	
W-75-MPB	75	2	189,62	190,99	166	120	33	16	49	25,4	
W-80-MPB	80	2	202,35	203,72	178	120	33	16	49	25,4	
W-90-MPB	90	2	227,82	229,19	204	120	33	16	49	25,4	
W-112-MPB	112	2	283,84	285,21	260	120	33	16	49	25,4	
W-140-MPB	140	2	355,15	356,52	331	150	33	16	49	25,4	
W-180-MPB	180	3	457,01	458,38	433	150	33	16	49	25,4	
W-224-MPB	224	3	569,06	570,43	545	150	33	16	49	25,4	



JOCAR TRANSMISIONES S.L.

c/Lezeaga, 4 48002 Bilbao

Tlf 94 427 53 40 Fax 94 427 54 93

www.jocartransmisiones.com


e-mail: jocar@jocartransmisiones.com

POLEA EAGLE "B" BLUE (ancho del dentado W=37mm., paso 14mm.)

REF.	Nº dientes	Fig.	S (mm)	R (mm)	U (mm)	H (mm)	W (mm)	Z (mm)	Y (mm)	d (mm)	Material
B-28-MPB	28	1	122,99	124,78		105	37	16	53	25,4	Fundición
B-30-MPB	30	1	131,90	133,69		114	37	16	53	25,4	
B-32-MPB	32	1	139,81	142,61		123	37	16	53	25,4	
B-34-MPB	34	1	148,73	151,52		132	37	16	53	25,4	
B-36-MPB	36	1	157,64	160,43		141	37	16	53	25,4	
B-38-MPB	38	1	166,55	169,35		150	37	16	53	25,4	
B-40-MPB	40	1	175,46	178,26		159	37	16	53	25,4	
B-43-MPB	43	1	188,83	191,63		172	37	16	53	25,4	
B-45-MPB	45	1	197,75	200,54		181	37	16	53	25,4	
B-48-MPB	48	1	211,12	213,91		195	37	16	53	25,4	
B-50-MPB	50	2	220,03	222,82	180	150	37	16	53	25,4	
B-56-MPB	56	2	246,77	249,56	207	150	37	16	53	25,4	
B-60-MPB	60	2	264,59	267,39	225	150	37	16	53	25,4	
B-63-MPB	63	2	277,96	280,76	238	150	37	16	53	25,4	
B-71-MPB	71	2	313,62	316,41	274	150	37	16	53	25,4	
B-75-MPB	75	2	331,44	334,24	291	150	37	16	53	25,4	
B-80-MPB	80	2	353,72	356,52	314	150	37	16	53	25,4	
B-90-MPB	90	2	398,29	401,08	358	150	37	16	53	25,4	
B-112-MPB	112	3	496,33	499,12	456	150	37	16	53	25,4	
B-140-MPB	140	3	621,11	623,91	581	150	37	16	53	25,4	
B-168-MPB	168	3	745,89	748,69	706	150	37	16	53	25,4	

POLEA EAGLE "G" GREEN (ancho del dentado W=54,5mm., paso 14mm.)

REF.	Nº dientes	Fig.	S (mm)	R (mm)	U (mm)	H (mm)	W (mm)	Z (mm)	Y (mm)	d (mm)	Material
G-28-MPB	28	1	122,99	124,78		109	54,5	20	74,5	25,4	Fundición
G-30-MPB	30	1	131,90	133,69		118	54,5	20	74,5	25,4	
G-32-MPB	32	1	139,81	142,61		127	54,5	20	74,5	25,4	
G-34-MPB	34	1	148,73	151,52		136	54,5	20	74,5	25,4	
G-36-MPB	36	1	157,64	160,43		141	54,5	16	70,5	25,4	
G-38-MPB	38	1	166,55	169,35		150	54,5	16	70,5	25,4	
G-40-MPB	40	1	175,46	178,26		159	54,5	16	70,5	25,4	
G-43-MPB	43	1	188,83	191,63		172	54,5	16	70,5	25,4	
G-45-MPB	45	1	197,75	200,54		181	54,5	16	70,5	25,4	
G-48-MPB	48	1	211,12	213,91		195	54,5	16	70,5	25,4	
G-50-MPB	50	2	220,03	222,82	180	150	54,5	16	70,5	25,4	
G-56-MPB	56	2	246,77	249,56	207	150	54,5	16	70,5	25,4	
G-60-MPB	60	2	264,59	267,39	225	150	54,5	16	70,5	25,4	
G-63-MPB	63	2	277,96	280,76	238	150	54,5	16	70,5	25,4	
G-71-MPB	71	2	313,62	316,41	274	150	54,5	16	70,5	25,4	
G-75-MPB	75	2	331,44	334,24	291	150	54,5	16	70,5	25,4	
G-80-MPB	80	2	353,72	356,52	314	150	54,5	16	70,5	25,4	
G-90-MPB	90	2	398,29	401,08	358	180	54,5	16	70,5	25,4	
G-112-MPB	112	3	496,33	499,12	456	180	54,5	16	70,5	25,4	
G-140-MPB	140	3	621,11	623,91	581	200	54,5	16	70,5	25,4	
G-168-MPB	168	3	745,89	748,69	706	200	54,5	16	70,5	25,4	


JOCAR TRANSMISIONES S.L.

c/Lezeaga, 4 48002 Bilbao

Tlf 94 427 53 40 Fax 94 427 54 93

www.jocartransmisiones.com


 e-mail: jocar@jocartransmisiones.com

POLEA EAGLE "O" ORANGE (ancho del dentado W=72mm., paso 14mm.)

REF.	Nº dientes	Fig.	S (mm)	R (mm)	U (mm)	H (mm)	W (mm)	Z (mm)	Y (mm)	d (mm)	Material
O-28-MPB	28	1	122,99	124,78		109	72	20	92	25,4	Fundición
O-30-MPB	30	1	131,90	133,69		118	72	20	92	25,4	
O-32-MPB	32	1	139,81	142,61		127	72	26	98	25,4	
O-34-MPB	34	1	148,73	151,52		136	72	26	98	25,4	
O-36-MPB	36	1	157,64	160,43		144	72	26	98	25,4	
O-38-MPB	38	1	166,55	169,35		153	72	26	98	25,4	
O-40-MPB	40	1	175,46	178,26		162	72	26	98	25,4	
O-43-MPB	43	1	188,83	191,63		174	72	16	88	25,4	
O-45-MPB	45	1	197,75	200,54		181	72	16	88	25,4	
O-48-MPB	48	1	211,12	213,91		197	72	16	88	25,4	
O-50-MPB	50	1	220,03	222,82		205	72	16	88	25,4	
O-56-MPB	56	1	246,77	249,56		230	72	16	88	25,4	
O-60-MPB	60	2	264,59	267,39	225	150	72	16	88	25,4	
O-63-MPB	63	2	277,96	280,76	238	150	72	16	88	25,4	
O-71-MPB	71	2	313,62	316,41	274	150	72	16	88	25,4	
O-75-MPB	75	2	331,44	334,24	291	180	72	16	88	25,4	
O-80-MPB	80	2	353,72	356,52	314	180	72	16	88	25,4	
O-90-MPB	90	2	398,29	401,08	358	200	72	16	88	25,4	
O-112-MPB	112	3	496,33	499,12	456	200	72	16	88	25,4	
O-140-MPB	140	3	621,11	623,91	581	220	72	16	88	25,4	
O-168-MPB	168	3	745,89	748,69	706	220	72	16	88	25,4	

POLEA EAGLE "R" RED (ancho del dentado W=107mm., paso 14mm.)

REF.	Nº dientes	Fig.	S (mm)	R (mm)	U (mm)	H (mm)	W (mm)	Z (mm)	Y (mm)	d (mm)	Material
R-28-MPB	28	1	122,99	124,78		109	107	26	133	25,4	Fundición
R-30-MPB	30	1	131,90	133,69		118	107	26	133	25,4	
R-32-MPB	32	1	139,81	142,61		127	107	26	133	25,4	
R-34-MPB	34	1	148,73	151,52		136	107	26	133	25,4	
R-36-MPB	36	1	157,64	160,43		144	107	26	133	25,4	
R-38-MPB	38	1	166,55	169,35		153	107	26	133	25,4	
R-40-MPB	40	1	175,46	178,26		162	107	26	133	25,4	
R-43-MPB	43	1	188,83	191,63		175	107	26	133	25,4	
R-45-MPB	45	1	197,75	200,54		181	107	16	123	25,4	
R-48-MPB	48	1	211,12	213,91		197	107	16	123	25,4	
R-50-MPB	50	1	220,03	222,82		205	107	16	123	25,4	
R-56-MPB	56	1	246,77	249,56		230	107	16	123	25,4	
R-60-MPB	60	2	264,59	267,39	225	180	107	16	123	25,4	
R-63-MPB	63	2	277,96	280,76	238	180	107	16	123	25,4	
R-71-MPB	71	2	313,62	316,41	274	200	107	16	123	25,4	
R-75-MPB	75	2	331,44	334,24	291	200	107	16	123	25,4	
R-80-MPB	80	2	353,72	356,52	314	200	107	16	123	25,4	
R-90-MPB	90	2	398,29	401,08	358	220	107	16	123	25,4	
R-112-MPB	112	3	496,33	499,12	456	220	107	16	123	25,4	
R-140-MPB	140	3	621,11	623,91	581	240	107	16	123	25,4	
R-168-MPB	168	3	745,89	748,69	706	240	107	16	123	25,4	


JOCAR TRANSMISIONES S.L.

c/Lezeaga, 4 48002 Bilbao

Tlf 94 427 53 40 Fax 94 427 54 93

www.jocartransmisiones.com

 e-mail: jocar@jocartransmisiones.com